

A high-speed photograph of a red sports car, possibly a Ferrari, racing on a track. The car is in the foreground, angled towards the viewer, with significant motion blur in the background and foreground, suggesting high speed. The background shows a blurred racetrack with blue and red elements. The overall composition is dynamic and emphasizes performance.

TEXLUBE

RELIABILITY
REDEFINED

Product Index

1. About Texlube	Page 01 - 02
2. Diesel Engine Oil Service Categorie Timeline	Page - 03
3. Gasoline Engine Oil Timeline	Page - 04
4. Fully Synthetic Petrol Engine Oil - Garnet	Page - 05 - 07
5. Fully Synthetic Diesel Engine Oil - Agate	Page - 08 - 09
6. Motorcycle Oil - Opal	Page - 10
7. Multigrade/Monograde Diesel Engine Oil - Taxi Oil	Page - 11
8. ATF -(Synthetic/Mineral)	Page - 12
9. Gear Oil - Spinel	Page - 13 - 14
10. Speciality Oil	Page - 15
11. Industrial Oils	Page - 16 -19
12. Transformer Oil	Page - 20






Texlube was founded in 2024 with a diverse approach and a cohesive team, striving to establish a strong reputation in the Global Market

Our core values-respect, honesty, and integrity-are reflected in our actions, earning the trust of our esteemed clients both locally and globally. We take pride in fostering openness, teamwork, and professionalism, which have shaped our organization into a dynamic and resilient workforce, ready to tackle challenges with determination and a drive to succeed.

We are deeply committed to sustainable development, balancing short-term gains with long-term goals by integrating economic, environmental, and social considerations into every decision we make. As we strive to meet the world's growing demand for innovative and sustainable energy solutions, we expect our team to uphold our values and principles, building lasting and healthy business relationships for the future.

A black plastic jug is shown pouring a thick, golden-yellow liquid, likely motor oil, into a clear glass container. The liquid is captured in mid-pour, creating a smooth, curved stream that falls towards the bottom of the frame. The background is plain white, making the dark jug and the golden liquid stand out prominently.

This catalog showcases the key Automotive, Industrial, Specialty, and Grease products under the TEXLUBE brand.

Our values guide everything we do, reflecting our commitment to delivering reliable energy to the world. Meeting this demand is a significant challenge, requiring us to uphold the highest standards of safety while ensuring environmental and social sustainability. To achieve this, we strive for excellence in all we do while maintaining unwavering integrity in our business practices.



Premium Quality

Quality comes from consciousness. We are environmentally and socially conscious and believe there is no place for run-of-the-mill. Either we give you the best or we give you nothing at all. There are no in-betweens and no mid-way dealings.



Reliability

As we place a strong emphasis on research and development, our methods ensure that our products respond to the demands of today's customers. Setting new standards in the industry through fresh ideas and traditional values had earned us a worthy reputation for being reliable.



Innovation

To meet our business goals and strategic ambitions we continuously assess markets, economic viability, political and social scenario, environmental demands, and shape our business models to suit modern-day demands.




Authenticity


Our lubricants are golden, clear and add to engine life vis-à-vis cheap oils that spoil the engines and shorten the life too. Authenticity runs through our entire organisation from start to finish. We deliver only the best and all our dealings are completely transparent.

Agate

HEAVY DUTY DIESEL ENGINE OILS



DIESEL - POWERED ENGINES DIESEL ENGINE OIL SERVICE CATEGORIES - TIMELINE





Note: This chart is provided for illustrative purpose only. The categories have differing relevance depending on your region. While API CH-4 is essentially irrelevant in North America today, it is a dominant (and in some cases a high tier) category in other markets. CI-4/CJ-4 may also have much longer life in certain developing regions of the world.

(a) API FA-4 are formulated for use in certain engines designed to meet 2017 on-highway emission standards, and are not backward compatible or interchangeable with other diesel engine oils meeting current service categories

Always refer to your vehicle manufacturer's recommendations for the appropriate API service category required for use in your engine.

Garnet

GASOLINE ENGINE OILS



Garnet

PETROL ENGINE OILS

Garnet's specialized formulation is designed to enhance the performance of older engine models, ensuring fuel efficiency and reliability between drain intervals without compromising safety. With regular use, Garnet extends engine lifespan, keeping the world moving seamlessly.

Garnet

PETROL ENGINE OILS

SR2

FULLY SYNTHETIC

TEXLUBE Garnet SR2 High performance additives systems and leading edge viscosity index improver by meeting the requirement of current advances top-tier & premium quality petrol engines. Formulated for synthetic technology base oil and it is optimized to provide complete engine oil performance especially for fuel efficiency, reducing friction loss and durability.

TEXLUBE Garnet SR2 100% synthetic VHVI (Very High Viscosity Index) base oil formulated with premium additives which meets the requirements of petrol engines specification. They have excellent cold temperature performance and fuel efficiency thanks to their enhanced and anti-oxidation, cleanliness and catalyst protection properties. Full synthetic engine oil provides aggressive resistance to sludge formation and varnish deposits during stop-and-go driving.



TEXLUBE Garnet SR2-RANGE

FULLY SYNTHETIC API	
SAE 10W20 API SP	SAE 5W30 API SP
SAE 10W30 API SN	SAE 5W30 API SN
SAE 10W30 API SP	SAE 10W20 API SN
SAE 5W20 API SN	SAE 5W40 API SN
SAE 5W20 API SP	

PACKAGING

1Ltr

4Ltr

5Ltr

20Ltr

DRUM

Garnet

SR3

SEMI SYNTHETIC

TEXLUBE Garnet SR3 Premium performance, multigrade engine oil from selected synthetic base fluids and race proven additive technology for use in passenger car and light truck gasoline engines under all operating conditions.

TEXLUBE Garnet SR3 100% semi synthetic VHVI (Very High Viscosity Index) base oil formulated with premium additives which meets the requirements of petrol engine specification. They have excellent cold temperature performance and fuel efficiency thanks to their enhanced and anti-oxidation, cleanliness and catalyst protection properties. Full synthetic engine oil provides aggressive resistance to sludge formation and varnish deposits during stop-and-go driving.



TEXLUBE Garnet SR3 - RANGE

SEMI SYNTHETIC API

SAE 10W30 API SN	SAE 10W40 API SN
SAE 10W30 API SL	SAE 10W40 API SL

PACKAGING

1Ltr

4Ltr

5Ltr

20Ltr

DRUM

Garnet

SR4

MULTIGRADE

TEXLUBE Garnet SR4 High performance additives systems and leading edge viscosity index improver by meeting the requirement of current advances top-tier petrol engine oil. Formulated for mineral technology Group-I base oil and it is optimized to provide complete engine oil performance especially for fuel efficiency, reducing friction loss and durability.

TEXLUBE Garnet SR4 It is applicable for all passenger cars and light, Heavy truck four cycle gasoline engines both naturally aspirated and turbocharged. It is suitable for both hybrid and Eco-car and Trucks application.



TEXLUBE Garnet SR4 - RANGE

MULTIGRADE API

SAE 20W50 API SN	SAE 20W50 API SJ
SAE 20W50 API S	SAE 20W50 API SE

PACKAGING

1Ltr

4Ltr

5Ltr

20Ltr

DRUM

Garnet

SR5 MONOGRADE

TEXLUBE Garnet SRS Premium performance, multigrade engine oil from selected synthetic base fluids and race proven additive technology for use in passenger car and light truck gasoline engines under all operating conditions.

TEXLUBE Garnet SR5 monograde SAE 40 & 50 are intended for all naturally aspirated petrol and turbocharged diesel engines operating under the API service conditions below. Monograde SAE 40 & 50 is intended for the same service conditions, but the oil's higher than normal viscosity should assist in controlling oil consumption in worn engines.



TEXLUBE Garnet SR5-RANGE

MONOGRADE API

SAE 40 API SL	SAE 40 API SC
SAE 50 API SF	SAE 40 API SF
SAE 50 API SL	SAE 50 API SC

PACKAGING

1Ltr

4Ltr

5Ltr

20Ltr

DRUM



Agate

DIESEL ENGINE OILS

Texlube's Agate range of diesel engine oils is specially formulated for modern fleets of heavy-duty machinery. Designed to safeguard critical engine components from oxidation and the impact of constant friction,

Agate ensures reliable performance even in the harshest conditions.

Agate

HL1 FULLY SYNTHETIC

TEXLUBE Agate HL1 Fully-Synthetic heavy-duty multi-grade diesel engine oils for use in the latest generation of high-speed 4-stroke diesel engines; specifically formulated for on-highway and off-highway applications. It complies with the low emission law besides meeting the low SAPS requirement of the latest diesel trucks.

TEXLUBE Agate HL1 has wide range of mixed fleets of European, Japanese, American diesel and gasoline engine (high speed, four stroke, turbocharged naturally aspirated) and new equipment of commercial road transport (Heavy Trucks, Buses, Stop-and-go Vehicles, off-Highway Vehicles); Heavy construction equipment's including excavator, wheel loader, forklift and dozer; small diesel and gasoline engines in marine service; generator sets and Power-shift transmissions.



TEXLUBE Agate HL1-RANGE

FULLY SYNTHETIC API	
SAE 10W30 API CH-4	SAE 10W40 API CH-4

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM

Agate

HL2

SEMI SYNTHETIC

TEXLUBE Agate HL2 High performance, semi synthetic, heavy duty engine oil specially designed to lubricant a wide range of diesel engines requiring API CK-4, CI-4 performance lubricants operating under the most severe conditions.

TEXLUBE Agate HL2 has wide range of mixed fleets of European, Japanese, American diesel engines (high speed, four stroke, turbocharged naturally aspirated) and new equipment of commercial road transport (Heavy Trucks, Buses, Stop-and-go Vehicles, off-Highway Vehicles); Heavy construction equipment's including excavator, wheel loader, forklift and dozer; small diesel engines in marine service; generator sets and Power-shift transmissions.



TEXLUBE Agate HL2 - RANGE

SEMI SYNTHETIC API

SAE 10W30 API CH-4	SAE 10W40 API CH-4
SAE 10W30 API CI-4	SAE 10W40 API CI-4

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM
-----------	------	------	------	-------	------

Agate

HL3

MULTIGRADE

Texlube Agate HL3 is a high performance, multigrade engine oil for diesel and gasoline engines, meeting API CI-4/SG standards. It suits mixed fleets, including trucks, buses, construction equipment, marine engines, and generators, ensuring reliable performance under extreme conditions.



MULTIGRADE API

SAE 15W40 API CH-4	SAE 20W50 API CF-4
SAE 15W40 API CF-4	SAE 20W50 API CI-4
SAE 15W40 API CI-4	

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM
-----------	------	------	------	-------	------



Agate

HL4

MONOGRADE

Texlube Agate HL4 is a high-performance monograde diesel engine oil with advanced additives for durability, thermal stability, and wear protection. Ideal for older diesel engines, heavy-duty trucks, buses, construction, mining, agricultural equipment, and stationary engines in warm climates.

MONOGRADE API

SAE 40 API CF	SAE 50 API CF
SAE 40 API CD	SAE 50 API CD

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM
-----------	------	------	------	-------	------

Opal
MOTORCYCLE OIL

4T

SYNTHETIC

TEXLUBE Opal 4T Synthetic Oils are specially formulated to meet the demanding requirements of motorcycles with 4-stroke engines. Ideal for standard motorbikes, these oils provide superior engine protection, smooth clutch operation, and enhanced gearbox performance. Blended with advanced additives and high-quality base stocks.

TEXLUBE Opal 4T ensures optimal lubrication, reduces wear, and maintains engine cleanliness. Designed to meet OEM specifications, it delivers an exceptional riding experience, even under extreme conditions.



TEXLUBE Opal 4T - RANGE

SYNTHETIC API	
SAE 10W30 API SN JASO MA2	SAE 10W30 API SL JASO MA2
SAE 10W40 API SN JASO MA2	SAE 10W40 API SL JASO MA2

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM

Opal
MOTORCYCLE OIL

4T

MULTIGRADE

TEXLUBE Opal 4T oil is a premium performance, shear stable, Multigrade, multifunctional mineral oil specially designed for 4-stroke motorcycle engines. It is made using high quality high VI base oils and proven additives to provide clean piston in high temperatures; long life of engine oil besides stable viscosity.

TEXLUBE Opal 4T is highly recommended for 4-stroke motor engines, Japanese, Indian and Chinese motorcycles. It is also designed for clutches and gear boxes, portable power equipment engines requiring JASO MA, MA2 and API SN and SL Lubricants.



TEXLUBE Opal 4T - RANGE

MULTIGRADE API	
SAE 20W40 API SN JASO MA2	SAE 20W40 API SL JASO MA
SAE 20W50 API SN JASO MA2	SAE 20W50 API SL JASO MA

PACKAGING	1Ltr	DRUM

Taxi Oil

TAXI ENGINE OIL

15W40 CI-4

MULTIGRADE

TEXLUBE Taxi Oil 15W40 CI-4 High performance, multigrade, heavy duty diesel and gasoline engine oil specially designed for TAXI to lubricant a wide range of TAXI engines requiring API CI-4 performance lubricants operating under the most severe conditions and heavy load with long drain interval.

TEXLUBE Taxi Oil 15W40 CI-4 wide range of mixed fleets of Japanese diesel and gasoline engine turbocharged & naturally aspirated including both old and new equipment of commercial road transport vehicles especially TAXI vehicles



PACKAGING

7Ltr

Taxi Oil

TAXI ENGINE OIL

SAE 40 CH-4

MONOGRADE

TEXLUBE Taxi Oil SAE 40 CH-4 high performance, monograde, heavy duty diesel and gasoline engine oil specially designed for TAXI to lubricant a wide range of TAXI engines requiring API CH-4 performance lubricants operating under the most severe conditions and heavy load.

TEXLUBE Taxi Oil SAE 40 CH-4 wide range of mixed fleets of Japanese diesel and gasoline engine turbocharged & naturally aspirated including both old and new equipment of commercial road transport vehicles especially TAXI vehicles.



PACKAGING

7Ltr

Tranex

AUTOMATIC TRANSMISSION FLUID

ATF SYNTHETIC

TEXLUBE Tranex ATF is a super high-performance, fully synthetic oil which has been engineered with technological innovation. It contains anti-wear and anti-shudder additives, as well as long-life friction modifiers to effectively maintain the steel-on-steel friction to help prevent slipping, as well as premature wear and hot spots at the interface. It is formulated with premium, full synthetic base stocks and shears table superior lubrication, thermal stability and anti-wear properties, ensuring optimal performance and longevity for CVT systems viscosity modifiers that provide greater performance benefits at extreme operating temperatures compared to part synthetic and conventional mineral-based fluids.

TEXLUBE Tranex ATF is recommended for service fill use in the following passenger car, push-belt and chain-driven continuously variable transmission applications.



TEXLUBE Tranex - RANGE

SYNTHETIC	
ATF DEX VI	ATF T-5
ATF CVT	ATF T-4
DCT Fluid	

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM
-----------	------	------	------	-------	------

Tranex

AUTOMATIC TRANSMISSION FLUID

ATF MINERAL

TEXLUBE Tranex ATF are premium Multi-Purpose Automatic Transmission Fluid. It is designed to protect most passenger car, van and light truck automatic transmissions. This fluid meets the requirements of General Motors, Ford and other domestic and imported automatic transmissions. The highly refined base oils and proven performance additives used in this oil provide enhanced thermal stability, frictional characteristics and rust corrosion protection.

TEXLUBE Tranex ATF DEX II is particularly suitable for use for automatic transmissions of car & light trucks and On-highway and Off-highway heavy duty automatic transmissions. Also recommended for certain manual transmissions and hydraulic systems where such type of fluids is specified. It may also be used as a wide temperature range anti-wear hydraulic fluid for many mobile, industrial and marine applications.



TEXLUBE Tranex - RANGE

MINERAL	
ATF DEX III	ATF TYPE A
ATF DEX II	

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM
-----------	------	------	------	-------	------

Spinel

GEAR OILS

TEXLUBE SPINEL gear oils deliver top-tier lubrication for manual transmissions, transaxles, and axle gears. Engineered for extreme conditions, they ensure smooth shifting, wear resistance, and lasting performance.

With a broad viscosity range, they provide reliable protection from freezing startups to high-temperature operations.

Gear Oil

SPINEL

SYNTHETIC

TEXLUBE Spinel fully-synthetic gear oil. Produces precise friction characteristics and offers outstanding resistance to aging. Ensures assemblies function perfectly, even under extreme operating conditions and when exposed to large temperature fluctuations. Maximum lubrication reliability, maximum wear protection due to broad viscosity range. Enables smooth gearshifting and maximum smooth running.

For high-load manual and auxiliary transmissions especially for modern transaxle systems and axle gears without limited slip differential. Note the vehicle or unit manufacturer's instructions.

TEXLUBE Spinel provides excellent low temperature fluidity for safe lubrication during very low temperature transmission and transaxle startup, and also maintains a thick protective oil film during extremely hot operating conditions.



TEXLUBE Spinel - RANGE

FULLY SYNTHETIC

SAE 75W90 API GL-5

PACKAGING

1Ltr

4Ltr

5Ltr

20Ltr

DRUM

Gear Oil

SPINEL

MULTIGRADE

TEXLUBE Spinel is a high-performance multigrade, high-pressure gear oil manufactured from high quality mineral base oils and multifunctional "extreme pressure" additives. It provides excellent low temperature fluidity for safe lubrication during very low temperature transmission and transaxle startup, and also maintains a thick protective oil film during extremely hot operating conditions.



MULTIGRADE	
SAE 80W90 API GL-5	SAE 85W140 API GL-5
SAE 80W90 API GL-4	SAE 85W140 API GL-4

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM

Gear Oil

SPINEL

MONOGRADE

TEXLUBE Spinel is an extreme pressure gearbox oil for use in a wide range of automotive manual transmissions. Its advanced formula protects gear surfaces from wear at start up and specialized molecules ensure consistent lubrication throughout the drive cycle resulting in 'Smooth Driving Experience'. Extreme pressure gearbox oil for use in a wide range of automotive manual transmissions



MONOGRADE	
SAE 90 API GL-5	SAE 90 API GL-4
SAE 140 API GL-4	SAE 90 API GL-1
SAE 140 API GL-5	SAE 140 API GL-1

PACKAGING	1Ltr	4Ltr	5Ltr	20Ltr	DRUM

Coolant AQUAMARINE



RANGE	
Coolant 33%	Coolant 100%
Coolant 50%	

TEXLUBE Aquamarine Coolant is an Ethylene Glycol based engine radiator coolant. The coolant concentrate is formulated with special chemical additives to provide a high degree of protection against corrosion for the metal and alloy components in the cooling system with specific reference to aluminum. It is harmless to rubber and does not foam or clog radiators. It is recommended for all light commercial vehicles with liquid cooling systems. The product act as an antifreeze under low temperatures and protects from boiling under high temperatures conditions.

PACKAGING	1Ltr	4Ltr	DRUM
-----------	------	------	------

Hydraulic Oil

Texlube Hydraulic Oil is a specialized fluid that powers, lubricates, and optimizes hydraulic systems in construction, manufacturing, and agricultural machinery, ensuring efficient performance in heavy-duty tasks.

MULTIGRADE	
ISO AW-32	ISO AW-46
ISO AW-37	ISO AW-100
ISO AW-68	

PACKAGING	20Ltr	25Ltr	DRUM
-----------	-------	-------	------



Brake Fluids



TEXLUBE Brake Fluid's are a high quality, non-mineral fluid based on glycols and glycol ethers. It is formulated using special purpose additives such as anti-rust, anti wear and seal swell agents. It is used in the braking system of any motor vehicle such as passenger car, trucks, bus or trailer.

FULLY SYNTHETIC	
BRAKE FLUID DOT 3	BRAKE FLUID DOT 4

PACKAGING	250ml	500ml	DRUM
-----------	-------	-------	------

Greases


Texlube Greases, made with Lithium 12 hydroxy stearate and extreme pressure additives, offer multi-purpose protection against wear, rust, and water washout while ensuring excellent load-carrying capacity.



TEXLUBE Greases - RANGE
Lithium Grease MP2
Lithium Grease MP3
Lithium Grease EP2
Lithium Grease EP3
Lithium Complex Grease EP2
Lithium Complex Grease EP3

PACKAGING	1/2kg	1kg	5kg	18kg	180kg
-----------	-------	-----	-----	------	-------

Industrial Oils



TEXLUBE HLP CIRCULATING OIL

PRODUCT NAME	SAE GRADE
TEXLUBE HLP CIRCULATING OILS	32
TEXLUBE HLP CIRCULATING OILS	46
TEXLUBE HLP CIRCULATING OILS	68
TEXLUBE HLP CIRCULATING OILS	100
TEXLUBE HLP CIRCULATING OILS	150

ANTIWEAR CIRCULATING OIL

PRODUCT NAME	SAE GRADE
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 15
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 22
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 32
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 37
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 46
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 57
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 68
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 100
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 150
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 220
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 320
TEXLUBE ANTIWEAR CIRCULATING OIL	AW 460

TEXLUBE HLP CIRCULATING OIL

PRODUCT NAME	SAE GRADE
TEXLUBE SPINDLE OILS	5
TEXLUBE SPINDLE OILS	10
TEXLUBE SPINDLE OILS	12
TEXLUBE SPINDLE OILS	15
TEXLUBE SPINDLE OILS	22



TEXLUBE QUENCHING OILS

PRODUCT NAME	SAE GRADE
TEXLUBE QUENCHING OILS	39
TEXLUBE QUENCHING OILS	42
TEXLUBE QUENCHING OILS	43
TEXLUBE QUENCHING OILS	44

TEXLUBE INDUSTRIAL GEAR OIL

PRODUCT NAME	SAE GRADE
TEXLUBE INDUSTRIAL GEAR OILS	EP 68
TEXLUBE INDUSTRIAL GEAR OILS	EP 100
TEXLUBE INDUSTRIAL GEAR OILS	EP 150
TEXLUBE INDUSTRIAL GEAR OILS	EP 220
TEXLUBE INDUSTRIAL GEAR OILS	EP 320
TEXLUBE INDUSTRIAL GEAR OILS	EP 460
TEXLUBE INDUSTRIAL GEAR OILS	EP 680



TEXLUBE ANTIWEAR GEAR OIL

PRODUCT NAME	SAE GRADE
TEXLUBE ANTIWEAR GEAR OIL	68
TEXLUBE ANTIWEAR GEAR OIL	100
TEXLUBE ANTIWEAR GEAR OIL	150
TEXLUBE ANTIWEAR GEAR OIL	220
TEXLUBE ANTIWEAR GEAR OIL	320
TEXLUBE ANTIWEAR GEAR OIL	460

TEXLUBE QUENCHING OILS

PRODUCT NAME	SAE GRADE
TEXLUBE SUGAR MILL BEARING OILS	20
TEXLUBE SUGAR MILL BEARING OILS	30
TEXLUBE SUGAR MILL BEARING OILS	40
TEXLUBE SUGAR MILL BEARING OILS	60

TEXLUBE COMPRESSOR OILS

PRODUCT NAME	SAE GRADE
TEXLUBE COMPRESSOR OIL	VG 32
TEXLUBE COMPRESSOR OIL	VG 46
TEXLUBE COMPRESSOR OIL	VG 68
TEXLUBE COMPRESSOR OIL	VG 100
TEXLUBE COMPRESSOR OIL	VG 150
TEXLUBE COMPRESSOR SYN OIL	VG 100
TEXLUBE COMPRESSOR SYN OIL	VG 150



TEXLUBE SOLUBLE CUTTING OILS

PRODUCT NAME	SAE GRADE
TEXLUBE SOLUBLE CUTTING OILS CUT	400
TEXLUBE SOLUBLE CUTTING OILS CUT	800



TEXLUBE ACTIVE CUTTINGS OILS

PRODUCT NAME	SAE GRADE
TEXLUBE ACTIVE CUTTING OILS	10
TEXLUBE ACTIVE CUTTING OILS	25
TEXLUBE ACTIVE CUTTING OILS	35

TEXLUBE ACTIVE CUTTING OIL

PRODUCT NAME	SAE GRADE
TEXLUBE ACTIVE CUTTING OILD ST CUT	52
TEXLUBE ACTIVE CUTTING OILD ST CUT	54

Transformer Oil

Transformer Oils are electrical insulating fluids manufactured from virgin base oils. TEXTLUBE QUANTUM are manufactured under various International and National Standard Specifications.

These Oils are design formulated from selected base oils both high quality naphthenic oils and severely hydrotreated and iso-dewaxed paraffinic oils. The optimum refining of these base oils ensures that the oils are free from polar impurities, low Sulphur and possess the desirable characteristics of low viscosity and pour point, oxidation stability for trouble free long service life.



TYPES OF TRANSFORMER OIL:

- TexLube Quantum IECPU-296
Type :Paraffinic Uninhibited
- TexLube Quantum IECPI-2096
Type :Paraffinic Inhibited
- TexLube Quantum IECPU-60296
Type :Paraffinic Uninhibited
- TexLube Quantum IECPI-60296
Type :Paraffinic Inhibited
- TexLube Quantum IECNU 60296
Type :Naphthenic Uninhibited
- TexLube Quantum IECNI-60296
Type :Naphthenic Inhibited

Benefits

- Act as an excellent electrical insulator.
- Protective barrier against moisture and oxidation.
- Prevents electrical discharges and short circuits.
- Prevent breakdown under high voltage.
- Transformer oil absorbs and dissipates heat generated by the transformer, preventing overheating.
- Reduced corrosive Sulphur and aromatic contents.
- It can withstand extreme climatic conditions.



PACKAGING

208L

IBC (1000)

Flexi Bag



TEXACO LUBE

UAE Address

Taurex General Trading LLC
Dubai, United Arab Emirates
Mob. +97155 471 5123
Email. tausifz@taurexgt.com

International Office Address:

Uganda

Kyadondo Block 273, plot 23127
P.O. Box 111559, Kampala,Uganda
Tel. **0800 897 876**

Benin

Lot 343 Zongo, Rue derriere NSIA Bank Unafrica
Maison VLAVONOU Cotonoe Re du Benin
Mob: **+22966690707, +22997174111**

